

NUCLEAR SCIENCE AND ENGINEERING®

VOLUME 70, NUMBER 2, MAY 1979

CONTENTS

TECHNICAL PAPERS

- 119 On the Use of Minimum Film Boiling Temperature as a Criterion for Coherent Molten Metal-Coolant Interactions *Vijay K. Dhir*
- 127 Application of Acoustic Agglomerators for Emergency Use in Liquid-Metal Fast Breeder Reactor Plants *D. T. Shaw, N. Rajendran*
- 135 Expert Opinion and Statistical Evidence: An Application to Reactor Core Melt Frequency *George Apostolakis, Ali Mosleh*
- 150 The Transmission of Neutrons Through Iron-56 at 24.37 keV *H. I. Liou, R. E. Chrien, R. C. Block, U. N. Singh*
- 155 Neutron Resonance Parameters for Neptunium-237 *L. Mewissen, F. Poortmans, E. Cornelis, G. Vanpraet, A. Angeletti, G. Rohr, H. Weigmann*
- 163 Cross Sections for the $^{14}\text{N}(n,p_0)$, (n,α_0) , and (n,α_1) Reactions from 0.5 to 15 MeV *G. L. Morgan*
- 177 Fission Yields for Thermal-Neutron Fission of Plutonium-241 *J. K. Dickens*
- 184 Calculated Time-Dependent Delayed Neutron Group Yields for Thermal-Neutron Fission of Uranium-235 *D. R. Alexander, Y. K. Peng*
- 192 Electron Transport in One-Dimensional Finite Systems *S. K. Gupta, M. A. Prasad*

TECHNICAL NOTES

- 201 Use of Temperature Variance to Detect Sodium Boiling *C. C. Meek, R. C. Doerner, R. F. Hurt*
- 204 Exact Closed-Form Solution for a Terminal Cost Problem of Nuclear Reactors with Distributed Parameters *S. H. Kim*
- 207 On the Polynomial Form of Gamma-Ray Buildup Factor Functions *M. Metghalchi*
- 210 Optimum Biasing of Integral Equations in Monte Carlo Calculations *J. E. Hoogenboom*

(Continued)

VOLUME 70, NUMBER 2, MAY 1979

CONTENTS
(Continued)

COMPUTER CODE ABSTRACT

- 213** TIGERP *J. A. Halbleib, Sr., J. E. Morel*

LETTERS TO THE EDITOR

- 215** Second-Order Perturbation Theory *K. W. Burn*
- 215** Reply to a Comment on "Second-Order Perturbation Theory" *E. Greenspan, D. Gilai, E. M. Oblow*
- 216** Discrete and Continuous Interactions in Charged Particle Transport Theory *J. Ligou*

- 219** **ANNOUNCEMENT OF CURRENT PUBLICATIONS**