

# SUBJECT INDEX

## transactions of



## Fusion Technology™

Volume 39, Number 1T

January 2001

CITATIONS ARE BY PAGE NUMBER

### A

- Abel-inverted Doppler broadening method, 163
- Advanced particle simulation, 111
- Alfvén ion cyclotron, 147, 339 wave heating, 370
- Ambipolar plasma confinement, 83 trap (AMBAL-M), 83
- Analysis, flute stability, 343
- Analyzer end loss energy, 229 end-loss energy component, 147
- Anchor cell, 331 conducting plates, 139 mirror cells, 335 region plasmas, 297
- Anomalous radial transport, 398
- Antenna fast wave, 65, 305 helical, 245 ICRF, 305 slot, 171, 245
- Adapted plasma experiment, 41
- Axisymmetric magnetic field, 127 mirror, 41
- Azimuthally varying-field, 159

### B

- Back Faraday shield, 305
- Ballooning mode stability, 331

### Beam

- circuit code, 382
- deuterium neutral, 213
- injection, microwave, 179
- Biasing, end plate, 91
- Breeders, fusion, 73
- Broadening method, Abel-inverted Doppler, 163

### C

- Carbon sheet pump, 249
- Cell anchor, 331 circular central, 297
- Charged particles, 386
- Circuit, electric, 382
- Circular central cell, 297
- Cloud, gas, 135
- Code beam-circuit, 382 fast integrated transport, 183 fast ion transport, 57 Monte Carlo Fast Ion Transport, 183, 213 radio frequency heating, 354
- Computerized tomography, 374
- Core plasma, 273
- Collective Thomson scattering, 151
- Collector, semiconductor, 281
- Collisional-radiative model, 289
- Collisions, Monte Carlo, 111
- Compact neutral beams, 103
- Conducting plates, 139
- Configuration field-reversed, 97, 203, 366, 398, 406, 410

- symmetrized magnetic, 328
- tandem mirror, 25
- Confined plasma, 33, 339
- Confinement ambipolar plasma, 83 high-pressure plasma, 127 MHD-stable, 25 particle and energy, 253 plasma, 139, 366
- Control plasma, 139 radial potential, 49
- Conversion, energy, 203
- Converter cusp-type direct energy, 199, 386 direct energy, 203, 386 traveling wave direct energy, 199, 203, 382, 386
- Corrugated waveguide, 320
- Coupling of energy, 305 and heating experiments, 103
- Cusp, 187, 199, 217, 229 field, 187 type direct energy converter, 199, 386
- Cycles, fuel, 402

### D

- Data, single-shot X-ray, 297
- D-D plasma, 406
- Dense plasma, 17
- Density electron, 257 helium ash, 151 plasma line, 139

Detection, heterodyne, 301  
 Detector, semiconductor, 277, 297  
 Deuterium  
   neutral beams, 213  
   tritium, 151  
 Device  
   FRC injection experiment (FIX),  
     370, 374, 378  
   Hanbit, 97, 171, 354  
   Hanbit mirror, 10, 221, 225, 229,  
     233, 237, 241  
   large helical, 309  
   magnetic fusion, 253  
 Diagnostic  
   impurity ion, 289  
   Rutherford scattering, 209  
 Direct energy converters, 199, 203,  
 386  
 Discharge  
   global, 241  
   magnetic mirror, 245  
   microwave, 195  
 Distribution, ion temperature, 163  
 Divertor, magnetic, 350  
 Doppler broadening, 163  
 Dynamics, vortex, 119

## E

ECR-produced plasma, 191  
 Effect  
   energetic particle, 347  
   loss cone, 171  
   ponderomotive force, 354  
 Electric circuit, 382  
 Electrodes, voltage-biased, 358  
 Electromagnetic  
   field modeling, 316  
   system, 390  
   waves, 320  
 Electron cyclotron  
   heating (ECH), 10, 33, 49, 97, 257,  
     261  
   masers, 320  
   resonance (ECR), 187  
     heating, 3, 143, 179, 195, 289, 328  
   plasmas, 187  
 Electron  
   density, 358  
   temperature, 10, 277  
 Ellipticity, 328  
 Energy, coupling of, 103  
 End loss  
   energy analyzer, 147, 229  
   ion energy, 229, 281  
   ions, 147, 285  
 End plate  
   biasing, 91  
   resistance, 143  
 Energetic particle effects, 347  
 Energy conversion, 203

Equilibrium, plasma, 175  
 Experimental pseudo symmetric linked  
 trap, 41

## F

Fast  
   Alfvén waves, 167  
   integrated transport code, 183  
   ion, 127  
   ion transport code, 57  
   particle mode, 57  
   wave antenna, 65, 305  
 Field  
   axisymmetric magnetic, 127  
   cusp, 187  
   homogeneous magnetic, 119  
   magnetic, 119, 199  
   radial electric, 191  
   reversed configuration (FRC), 83,  
     366, 398, 406, 410  
   strong mirror, 366  
 Finite Larmor radius, 410  
 FIX device, 370, 374, 378  
 Flattened radial potential profile, 273  
 Flow, supersonic plasma, 324  
 Fluctuations  
   low frequency, 191  
   MHD, 261  
 Flute  
   mode, 350  
   stability analysis, 343  
 FRC  
   injection experiment (FIX), 370  
   plasma, 370, 374, 378, 410  
   reactor, 406  
 Frequency, ion cyclotron range of, 3,  
 316  
 Fuel cycles, 402  
 Fueling, pellet, 135  
 Fusion  
   breeders, 73  
   mirror power reactors, 73  
   plasma, 103, 406  
   plasma kinetics, 402  
   power, 406, 410

## G

GAMMA 10, 3, 151, 265, 273, 277,  
 281, 297, 328, 339, 343,  
 398  
   plasma, 289, 293  
   tandem mirror, 33, 49, 139, 143,  
     159, 167, 179, 229, 249,  
     253, 257, 261, 269, 285,  
     297, 331, 335, 339, 402  
 Gas  
   cloud, 135  
   dynamic trap, 3, 57, 183, 209, 213,  
     390

Generator, plasma neutron, 390  
 Global discharge, 241  
 Gun, plasma, 127

## H

Hanbit  
   device, 97, 171, 354  
   magnetic mirror device, 171, 217,  
     225, 233  
   mirror device, 10, 221, 229, 237,  
     241  
 Heating  
   Alfvén wave, 370  
   ECR, 3, 143, 195, 289, 328  
   electron cyclotron, 10, 33, 49, 97,  
     261, 350  
   ICRF, 65, 147, 195, 241, 257, 309  
   ion cyclotron resonance, 10, 221,  
     289, 328  
   neutral beam, 209  
   plasma, 17  
   radio frequency, 171, 221, 225, 241,  
     245  
 Helical antenna, 245  
 Helium ash density, 151  
 Heterodyne detection, 301  
 HIEI tandem mirror, 91, 350  
 High density plasma production, 167  
 High Density Tohoku Plasma  
 (HITOP), 324  
 High energy  
   conversion rate, 203  
   ion production, 335  
 High pressure plasma confinement,  
 127  
 Homogeneous magnetic field, 119  
 Hot electron  
   plasmas, 91, 135  
   production, 10  
   rings, 91

## I

ICRF  
   antenna, 305  
   experiments, 305  
   sources, 167  
   wave, 91, 139, 167, 195, 339  
 Impurity  
   ion diagnostics, 289  
   ion spectrum, 293  
   light, 155  
   low-Z, 155  
 Injection  
   neutral beam, 3, 335, 362, 366  
   pellet, 135  
 Inner mirror throat, 269  
 Instability, MHD, 25, 49, 289, 354  
 Interaction, pellet-plasma, 257  
 Interchange mode, 354

International Fusion Materials Irradiation Facility, 57  
 Integrated transport code system, 183  
 Ion acoustic waves, 301  
 Ion-confining potentials, 285  
 Ion cyclotron  
   range of frequency (ICRF), 3, 316  
   heating, 65, 147, 195, 241, 257, 309  
   resonance heating, 10, 221, 289, 328  
 Ion  
   end loss, 147, 285  
   energy spectrometer, 281  
   fast, 127  
   temperature, 163, 209, 237, 277  
   thruster, 195  
 Isotropic pressure, 175

## J

Joint European Torus (JET) Tokamak, 159

## K

Kinetic  
   fusion plasma, 402  
   stabilizer, 25

## L

Langmuir  
   probe measurements, 233  
   turbulence, 301  
 Large helical device, 309  
 Last closed magnetic surface, 309  
 Light  
   impurities, 155  
   water reactors, 73  
 Linked mirrors, 41  
 Loss cone effect, 171  
 Low frequency  
   fluctuations, 191  
   magnetic pulse, 370  
 Low-Z impurity, 155

## M

Macroscopic stability, 324  
 Magnetohydrodynamic (MHD), 91, 127, 261, 324, 328  
 Magnetic  
   confinement systems, 111  
   divertor, 350  
   field, 119, 199  
   flux tube, 331  
   fusion device, 253  
   mirror, 179, 324  
   discharge, 245  
   plasmas, 225

probe measurement, 378  
 probes, 225  
   pulse, 378  
   system, 390  
 Magnetized plasma, 362  
 Maser, slow wave electron cyclotron, 320  
 Measurement  
   magnetic probe, 378  
   radio frequency field, 225  
   ratio, 151  
 MHD  
   fluctuations, 261  
   flute modes, 350  
   interchange modes, 347  
   instability, 25, 49, 289, 354  
   plasma stability, 316  
   stability, 83, 187, 261, 331, 339, 354, 390  
   stabilization, 25, 91, 350  
   stabilizer, 390  
   study, 217  
   theory, 410

Microwave  
   beam injection, 179  
   discharge, 195  
   reflectometry, 265

Mirror  
   axisymmetric, 41  
   confined plasma, 209  
   GAMMA 10 tandem, 33, 49, 139, 143, 179, 229, 249, 253, 257, 261, 269, 285, 297, 331, 335, 339, 402  
   HIEI tandem, 83, 350  
   linked, 41  
   magnetic, 179, 324  
   multilayer, 155  
   systems, 73  
   tandem, 143, 147, 273, 293

Modeling, electromagnetic field, 316

Monte Carlo  
   collisions, 111  
   Fast Ion Transport code (MCFIT), 183, 213

Multilayer mirrors, 155

## N

Neutral beam  
   heating, 209  
   injection, 3, 335, 362, 366  
 Nonparaxial plasma equilibria, 175  
 Nuclear magnetic resonance, 269

## O

O mode, 265  
 Open-field plasmas, 97  
 Open magnetic field systems, 151

## P

Particle and energy confinement, 253  
 Particle-in-cell method, 111  
 Particles, charged, 386  
 Pellet  
   fueling, 135  
   injection, 135  
   plasma interaction, 257  
 Phenomenon, radio frequency sheath, 65  
 Plant, fusion power, 410  
 Plasma, 139, 301  
   anchor-region, 297  
   confinement, 139, 366  
   core, 273  
   D-D, 406  
   ECR-produced, 187, 191  
   equilibrium, 175  
   FRC, 370, 374, 378, 410  
   fusion, 406  
   GAMMA 10, 289, 293  
   gun, 127  
   heating, 17  
   high density Tohoku, 324  
   hot, 135  
   hot electron, 97  
   line density, 139  
   magnetic mirror, 225  
   magnetized, 362  
   mirror-confined, 309  
   neutron generator, 390  
   open-field, 111  
   potential-confined electron, 119  
   production, high-density, 167  
   quadrupole-anchored tandem mirror, 343  
   radio frequency-produced, 83, 358, 362

Plates  
   anchor-conducting, 139  
   voltage-biased, 362

Poloidal pseudosymmetry, 41  
 Ponderomotive force effects, 354  
 Potential-confined electron plasma, 119

Potentials  
   ion-confining, 285  
   thermal barrier, 33

Power  
   ECH-plug, 33  
   fusion, 406  
   radio frequency, 83  
 Pressure, isotropic, 175  
 Probes, magnetic, 225

Production  
   high energy ion, 335  
   hot electron, 10

Profile  
   flattened radial potential, 285  
   radial, 257  
   rotation, 358  
   spatial, 277

Propagation, ICRF waves, 195  
Pseudosymmetry, poloidal, 41  
Pulse  
  low frequency magnetic, 370  
  magnetic, 378  
  small-angle, 301  
Pump, carbon sheet, 249

## Q

Quadrupole  
  anchored tandem mirror plasma, 343  
  mass spectrometer, 249

## R

Radial  
  electric field, 191  
  particle transport, 253  
  potential control, 49  
  profiles, 285  
Radio frequency  
  amplifier system, 221  
  driven tandem mirror, 147  
  heating, 171, 221, 225, 245  
  heating code, 354  
  field measurement, 225  
  power, 83  
  produced plasma, 83, 358, 362  
  sheath phenomenon, 65  
  wave heating, 241  
Radius, finite Larmor, 410  
Ratio measurement, 151  
Reflectometry, microwave, 265  
Resonance, nuclear magnetic, 269  
Rotation profiles, 358  
Rutherford scattering diagnostic, 209

## S

Scattering, collective Thomson, 151  
Scrape-off layer, 111  
Semiconductor  
  collector, 281  
  detector, 277, 297  
Shield, back Faraday, 305  
Simulation, advanced particle, 111  
Single-shot X-ray data, 297  
Slot antenna, 171, 245  
Slow wave electron cyclotron maser, 320  
Small-angle pulse, 301  
Soft X ray, 289, 293  
Spatial profiles, 277  
Spectrograph, VUV, 293  
Spectrometer  
  ion-energy, 281  
  quadrupole mass, 249  
Spectrum, impurity ion, 293  
Stabilization, MHD, 91, 350  
Stabilizer  
  kinetic, 17  
  MHD, 390  
Stochastic drift wave model, 398  
Strong mirror field, 366  
Supersonic plasma flow, 324  
Symmetrized magnetic configuration, 328

## T

Tandem mirror, 25, 143, 147, 273, 398  
  plasma, 347  
  reactors, 402  
Thermal barrier potentials, 33

Thermalized plasma, 17  
Tokamak, JET, 159  
Tomography, computerized, 374  
Transport  
  anomalous radial, 398  
  radial particle, 253  
Traveling wave direct energy converter, 199, 203, 281, 285  
Tritium, deuterium, 151

## U

Ultra-soft X-ray spectroscopy, 155  
Ultraviolet, vacuum, 293

## V

Vacuum ultraviolet (VUV), 293  
Voltage-biased electrodes, 358, 362  
Vortex dynamics, 119  
VUV spectrograph, 293

## W

Wave  
  ICRF, 195  
  particle interaction, 103  
Waveguide, corrugated, 320

## X

X mode, 265  
X-ray energy responses, 159  
X-ray, ultra-soft spectroscopy, 155