

SUBJECT INDEX



Transactions of Fusion Science and Technology

Volume 41, Number 2T
March 2002

CITATIONS ARE BY PAGE NUMBER

- A**
- Advanced tokamak, 443
 - Alfvén wave heating and current drive, 183
 - Alfvén waves, 242
 - Anomalous transport, 225, 234, 242, 251, 268, 276, 285
 - Antenna coupling, 173
 - Atomic beam diagnostics, 410
- B**
- Beam emission spectroscopy, 410
 - Beta limits, 77, 107
 - Bootstrap current, 107, 197
- C**
- Chaotic field, 276
 - Charge exchange recombination spectroscopy, 410
 - Classical transport, 209
 - Collision frequency, 119
 - Confinement devices
 - inertial, 49
 - magnetic, 49, 56, 421, 443
 - toroidal, 49, 56, 421, 443
 - Current drive
 - Alfvén wave, 183
 - electron cyclotron, 191
 - lower hybrid, 183
- D**
- Dielectric tensor, 141
 - Diagnostics, 361
 - atomic beam, 410
 - beam emission spectroscopy, 410
 - charge exchange recombination spectroscopy, 410
 - far infrared, 402
 - fluctuation measurements, 369, 386
 - general plasma, 361
 - laser aided, 386
 - microwave, 402
 - plasma spectroscopy, 361, 394
 - plasma turbulence, 369
 - probe, 369
 - Divertor, 330, 337
 - edge physics, 330
 - ergodic, 337
 - Drift kinetic equation, 41, 119
 - Drift velocity, 41
 - Drift wave instabilities, 242, 251
 - DT operation, 421
- E**
- Edge physics, 330
 - Electron cyclotron heating and current drive, 191
 - Electric fields, radial, 225, 268
 - Energy exhaust, 352
 - Energy for future, 3
 - Ergodic divertor, 337
 - European Union Fusion Program, 450
- F**
- Far infrared diagnostics, 402
 - Field line ergodization, 337
 - Fluctuation measurements, 377, 386
 - Flux conservation, 27
 - Fusion
 - breakeven, 15
 - burn, 15
 - devices, 49
 - energy, 3
 - European Union program, 450
 - ignition, 15
 - inertial and magnetic, 49
 - reactor, 429, 443
- G**
- Guiding center motion, 41
- H**
- Hamiltonian system, 27
 - Heat transport, 293
 - Heating
 - Alfvén wave, 183
 - electron cyclotron, 191
 - ion cyclotron, 183
 - lower hybrid, 183
 - neutral beam, 163
 - ohmic, 163
 - Helical field lines, 56
 - Helium removal and recycling, 342
 - H-mode transport, 225, 268, 421, 429

- I**
- Impurity seeding, 352
 - Industrial plasma physics, 459
 - Inertial confinement, 49
 - Inexhaustible clean energy, 3
 - Inhomogeneous plasmas, 242
 - Instabilities
 - drift wave, 242, 251
 - neoclassical tearing mode, 77, 107
 - magnetohydrodynamics, 85, 95
 - toroidal theory, 107
 - Ion cyclotron heating, 183
 - ITER, 450
- K**
- Kinetic effects, 119
 - Kinetic theory, 119
 - Kinetic theory of plasma waves, 135, 141, 151
- L**
- Landau damping, 119
 - Laser-aided plasma diagnostics, 386
 - Linear plasma waves, 135, 141, 151
 - Lower hybrid heating and current drive, 183
 - L-mode, 268
- M**
- Magnetic
 - confinement, 49
 - field lines, 27
 - islands, 107
 - nulls, 27
 - turbulence, 276
 - MHD
 - equilibrium, 71
 - spectral theory, 85, 95
 - stability, 85, 95
 - waves, 85, 95
 - Microwave diagnostics, 402
 - Modulated heating, 293
- N**
- Negative ion beam, 163
 - Neoclassical tearing modes, 77, 107
 - Neoclassical transport, 216
 - Neutral beam injection heating, 163
 - Neutral gas transport, 342
 - Neutral particle transport, 311
 - Nonlinear wave interactions, 251
 - Numerical particle diffusion, 155
 - Numerical stability, 155
 - Numerical techniques, 155
 - Numerical transport codes, 299
 - Numerical wave modeling, 155
- O**
- Ohm's law, 27
- P**
- Particle exhaust, 330
 - Particle orbits, 41
 - Perturbative transport experiments, 293
 - Plasma
 - antenna coupling, 173
 - current drive, 197
 - deposition technologies, 459
 - diagnostics, 361, 369, 377
 - edge physics, 311, 352, 369
 - equilibrium in tokamaks, 71
 - fluctuations, 234
 - heating, 163, 173, 183, 191
 - induced catalysis, 459
 - radiative boundary, 352
 - spectroscopy, 394
 - surface treatment, 459
 - turbulence, 234, 251, 285, 369
 - wall interactions and conditioning, 319
 - waves, 173, 183, 191
 - Positive ion beam, 163
 - Power exhaust, 319, 330
 - Probe diagnostics, 369
 - Pump limiter, 330
- R**
- Radial electric fields, 225, 268
 - Radiation cooling, 352
 - Radiative plasma boundary, 352
 - Radio-frequency heating, 173
 - Rotational transform, 56
- S**
- Scaling expressions, 429
 - Scrape-off layer, 311
- Spectroscopy**
- atomic, 394
 - beam emission, 410
 - charge exchange recombination, 410
 - plasma, 361
- Stellarator, 56
- Stochastic fields, 285
- T**
- Tokamak, 49, 71, 77, 85, 95, 107, 197, 216, 421, 443
 - advanced, 443
 - beta limit, 77, 107
 - density limit, 77
 - disruptions, 77
 - divertor concepts, 330, 337
 - instabilities, 77, 85, 95, 107, 234, 242, 251
 - neoclassical transport, 216
 - numerical transport codes, 299
 - operational limits, 77
 - plasma equilibrium, 71
 - Transport
 - anomalous, 225, 234, 242, 251, 268, 276, 285
 - barriers, 225, 234, 268, 276, 285, 421, 429
 - classical, 209
 - H-mode, 225, 268, 421, 429
 - heat, 293
 - modifications by electron cyclotron waves, 191
 - neoclassical, 216
 - neutral gas, 342
 - neutral particle, 155
 - numerical codes, 299
 - perturbative, 293
 - Turbulence
 - magnetic, 276
 - plasma, 234, 251, 285, 369
 - suppression, 268
- W**
- Wall conditioning, 319
 - Waves
 - Alfvén, 183
 - drift, 242
 - electron cyclotron, 191
 - ion cyclotron, 183
 - lower hybrid, 183
 - plasma, 173, 183, 191
 - propagation and absorption, 151

INFORMATION FOR AUTHORS

Fusion Science and Technology, the research journal of the American Nuclear Society, publishes original research and review papers on fusion plasma physics and plasma engineering, fusion nuclear technology and materials science, fusion plasma enabling science technology, fusion applications, and fusion design and systems studies. Authors are encouraged to submit complete papers of work summarized in the *Transactions of the American Nuclear Society* and in other proceedings. Concise versions of detailed reports of limited distribution will also be considered.

Fusion Science and Technology publishes Technical Papers, Technical Notes, Critical Reviews, Book Reviews, Meeting Reports, and Letters to the Editor. Technical Notes report preliminary results and extensions of previously reported work. Technical Papers and Notes and Critical Reviews are reviewed for technical content. Letters to the Editor provide an expeditious medium for comments for editorial policies and for discussions on the content of other contributions.

Author rights under Copyright Law are transferable to the American Nuclear Society. These rights, as well as author responsibility for protecting proprietary and third-party rights, are specified in the author-ANS agreement to be made before publication. All materials accepted for publication are protected by copyright obtained by ANS.

Authors are informed of the partial cost of publication—reflected in a page charge based on manuscript length. Manuscripts accepted by the Editor are published without regard to page charge payment; however, this source of revenue is essential in maintaining the Society's journal publishing services. Authors receive 50 reprints of published material upon payment of page charges. Publication of manuscripts unsupported by page charge payment is necessarily limited, and some delay in presentation may occur. (The currently estimated compensation rate for the author-related costs of publishing is \$165 per published page; however, authors who include a diskette or CD-ROM of their revised manuscript will be billed at \$100 per published page.)

Manuscripts should be submitted (three copies) to:

Dr. Nermin A. Uckan, Editor, *Fusion Science and Technology*
C/o American Nuclear Society, 555 North Kensington Avenue
La Grange Park, Illinois 60526, USA
Telephone: (708) 579-8312; Fax: (708) 579-8313

Manuscripts originating in Asia may be submitted to:

Dr. Yasuo Shimomura, Associate Editor, Asia
Naka Fusion Research Establishment, JAERI
801-1 Mukoyama, Naka-machi, Naka-gun
Ibaraki-ken 311-0193, Japan
Telephone: 81-29-270-7773; Fax: 81-29-270-7775

Manuscripts originating in Europe may be submitted to:

Dr. Roberto Andreani, Associate Editor, Europe
EFDA Close Support Unit—Garching
Max-Planck-Institut für Plasmaphysik
Boltzmannstr. 2, D-85748 Garching, Germany
Telephone: 49-89-3299-4212; Fax: 49-89-3299-4198

Manuscripts originating in Russia may be submitted to:

Dr. Englen Azizov, Associate Editor, Russia
Troitsk Institute, Reactor-Tokamak
Moscow Region, Troitsk, Trinita, Russia 142 190
Telephone: 7-095-334-5580; Fax: 7-095-334-5510

INSTRUCTIONS FOR MANUSCRIPT PREPARATION

GENERAL STYLE: Authors are referred to any recent issue for examples of format and general style and are advised to consult the 1990 edition of the style manual prepared by the American Institute of Physics (*AIP Style Manual*). Use of technical terms as defined in the American Nuclear Society *Glossary of Terms in Nuclear Science and Technology* is encouraged. Manuscripts may be submitted on computer diskettes or CD-ROMs. Instructions for preparation of diskettes or CD-ROMs will be sent to authors when the manuscript has been accepted for publication.

ABSTRACT: The abstract should be typed on a separate sheet of paper (complete with the title and names of the authors). Abstracts should not exceed 200 words.

TEXT: Manuscripts must be typed, double spaced, on one side of the page with wide margins and indented paragraphs. Three copies of each manuscript complete with figures, tables, references, etc., are required. The first page must contain the title, the name and affiliation of each author, the name, complete mailing address, and telephone number with area code of the person(s) to whom proofs and page charge invoice are to be sent, and a list of the total number of pages, tables, and figures. If available, please give a fax number and/or an electronic-mail address. The second page of a technical paper or technical note must contain a brief but informative abstract.

UNITS: Use SI units. Conventional (non-SI) quantities may follow parenthetically if the author desires.

REFERENCES: Reference citations in the text should be underlined numerals, in parentheses, in order of appearance. The literature citations, appropriately numbered and double spaced, should be listed consecutively on a separate sheet. References should be accurately described in sufficient detail for easy attainability; titles should be included in all references. Authors are referred to recent issues for format.

FOOTNOTES: Footnote citations in the text should be lower-case superscript letters. These footnotes, appropriately lettered and double spaced, should be listed consecutively on a separate sheet. Footnotes in tables are also cited by lower-case superscript letters. These footnotes should be placed at the bottom of the table.

TABLES AND FIGURES: Tables and figures should be designed to fit one- or two-column widths (85 and 173 mm, respectively). The height of lower-case letters should not be less than 1.5 mm after reduction; thus, a figure or a table that must be reduced to one-third its original size should have lower-case letters at least 4.5 mm high. Each table must be typed on a separate sheet, numbered consecutively with Roman numerals, and must have a complete title. Figures should be high-quality laser-printed graphics, line drawings, or black/white photographs, with the axes, curves, components, equipment, or other items of interest clearly labeled. Figures should be printed on separate sheets following the text, rather than being inserted in the text. Figures should be consecutively numbered in Arabic numerals in the order they are called out in the text. A descriptive caption must be prepared for each figure, and all figure captions should be typed, double spaced, on a separate sheet of paper. Each figure should be labeled in the margin or on the reverse with the manuscript title, author's name, and figure number. Figures produced electronically may be submitted on disk in order to ensure the highest quality of reproduction. Label each disk with the author's name, manuscript number, and the figure numbers that it contains. Hard copies of each figure must also be submitted, as described above. The journal does not have the capability to print color figures at this time. Color figures and material that will not reproduce satisfactorily will be returned to the author for reworking prior to publication.

MATHEMATICS: All mathematical equations should be carefully written and checked so that a compositor can follow the copy easily. Greek letters, upper- and lower-case letters, superscripts, subscripts, and vectors should be identified on the margin. Equation numbers should be Arabic numerals enclosed in parentheses on the right-hand margin.

PROOFS: Proofs of all material except Letters to the Editor will be supplied. Proofs are to be read carefully and all printing errors corrected; however, alterations from the original text that cost more than 10% of composition costs are chargeable to the author.

REPRINTS: The author will receive 50 reprints gratis when the page charge is paid; additional reprints may be ordered at the time the author approves the proofs.